

according to Regulation (EC) No 1907/2006

#### 102 Active oil MP10200400AB

Print date: 05.07.2016 Product code: 1101049 Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

102 Active oil MP10200400AB

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

lubricant

### 1.3. Details of the supplier of the safety data sheet

Company name: TUNAP Deutschland Vertriebs GmbH & Co. Betriebs KG

Street: Bürgermeister-Seidl-Str. 2
Place: D-82515 Wolfratshausen

Telephone: +49 (0) 8171/1600 - 0 Telefax: +49 (0) 8171/1600 - 40

e-mail: sdb@tunap.com Internet: www.tunap.com

**1.4. Emergency telephone** +49 (0) 30 30 686 790 (Giftnotruf Berlin)

number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Indications of danger: F+ - Extremely flammable

R phrases:

Extremely flammable.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Repeated exposure may cause skin dryness or cracking.

Vapours may cause drowsiness and dizziness.

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Aerosol: Aerosol 1

Specific target organ toxicity - single exposure: STOT SE 3 Specific target organ toxicity - repeated exposure: STOT RE 1 Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated. May cause drowsiness or dizziness.

iviay cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated exposure.

Harmful to aquatic life with long lasting effects.

## 2.2. Label elements

## Hazard components for labelling

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, 2% aromatics Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclics, aromates (2-25 %)

Signal word: Danger

Pictograms: GHS02-GHS07-GHS08









according to Regulation (EC) No 1907/2006

	102 Active oil MP10200400AB					
Print date: 05.07.2016	Product code: 1101049	Page 2 of 10				
Hazard statements						
H222	Extremely flammable aerosol.					
H229	Pressurised container: May burst if heated.					
H336	May cause drowsiness or dizziness.					
H372	Causes damage to organs through prolonged or repeated exposure.					
H412	Harmful to aquatic life with long lasting effects.					
Precautionary stateme	ents					
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.					
P211	Do not spray on an open flame or other ignition source.					
P260	Do not breathe Aerosol.					
P280	Wear eye/face protection.					
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.					
P314	Get medical advice/attention if you feel unwell.					
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.					
P251	Do not pierce or burn, even after use.					
Special labelling of ce	rtain mixtures					

Contains Benzenesulfonic acids, di-C10-14-alkyl derivatives, calcium salts. May produce

## 2.3. Other hazards

EUH208

No information available.

## **SECTION 3: Composition/information on ingredients**

an allergic reaction.

## 3.2. Mixtures



according to Regulation (EC) No 1907/2006

### 102 Active oil MP10200400AB

Print date: 05.07.2016 Product code: 1101049 Page 3 of 10

### **Hazardous components**

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
200-857-2	isobutane	50 - < 100 %
75-28-5	F+ - Extremely flammable R12	
601-004-00-0	Flam. Gas 1, Liquefied gas; H220 H280	
01-2119485395-27		
927-241-2	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, 2% aromatics	20 - < 25 %
64742-48-9	Xn - Harmful R10-52-53-65-66-67	
	Flam. Liq. 3, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 3; H226 H336 H304 H412 EUH066	
01-2119471843-32		
200-827-9	propane	5 - < 10 %
74-98-6	F+ - Extremely flammable R12	
601-003-00-5	Flam. Gas 1, Liquefied gas; H220 H280	
01-2119486944-21		
919-164-8	Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclics, aromates (2-25 %)	5 - < 10 %
64742-82-1	Xn - Harmful R48/20-52-53-65-66	
	STOT RE 1, Asp. Tox. 1, Aquatic Chronic 3; H372 H304 H412 EUH066	
01-2119473977-17		
203-448-7	butane	1 - < 3 %
106-97-8	F+ - Extremely flammable R12	
601-004-00-0	Flam. Gas 1, Liquefied gas; H220 H280	
01-2119474691-32		
939-603-7	Benzenesulfonic acids, di-C10-14-alkyl derivatives, calcium salts	0.1 - < 1 %
	Xi - Irritant R38-52-53	
	Skin Sens. 1; H317	
01-2119978241-36		

Full text of R, H and EUH phrases: see section 16.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

## After ingestion

Rinse mouth immediately and drink plenty of water.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.



according to Regulation (EC) No 1907/2006

### 102 Active oil MP10200400AB

Print date: 05.07.2016 Product code: 1101049 Page 4 of 10

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

#### 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Do not pierce or burn, even after use. If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F. Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

	102 Active oil MP10200400AB	
Print date: 05.07.2016	Product code: 1101049	Page 5 of 10

### **Exposure limits (EH40)**

	CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
ſ	106-97-8	Butane	600	1450		TWA (8 h)	WEL
Į			750	1810		STEL (15 min)	WEL

#### 8.2. Exposure controls

### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

## Eye/face protection

Wear eye/face protection.

#### Skin protection

Wear suitable protective clothing.

## Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Suitable respiratory protection apparatus: Combination filtering device (EN 14387)

Filtering device with filter or ventilator filtering device of type: AX

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:

Colour: colourless
Odour: Lemon

Test method

pH-Value: 9,75

Changes in the physical state

Melting point:
Initial boiling point and boiling range:
-40 °C
Flash point:
-80 °C

**Flammability** 

Solid: not applicable
Gas: not applicable
Lower explosion limits: 0,6 vol. %
Upper explosion limits: 9,4 vol. %

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidizing.



according to Regulation (EC) No 1907/2006

102 Active oil MP10200400AB						
Print date: 05.07.2016	Product code: 1101049	Page 6 of 10				
Vapour pressure:	not determined					
Density: Water solubility:	0,97 g/cm³ insoluble					
Solubility in other solvents not determined						
Partition coefficient:	not determined					
Vapour density:	not determined					
Evaporation rate:	not determined					
9.2. Other information						
Solid content:	not determined					

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Flammable, Ignition hazard.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## **Acute toxicity**

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

### 102 Active oil MP10200400AB

Print date: 05.07.2016 Product code: 1101049 Page 7 of 10

## **Acute toxicity**

CAS No	Chemical name					
	Exposure route	Method	Dose	Species	Source	
64742-48-9	Hydrocarbons, C9-C10, n-alkanes, i	soalkanes, d	cyclenes, 2% ar	omatics		
	oral	LD50 mg/kg	> 5000	Rat		
	dermal	LD50 mg/kg	> 5000	Rabbit		
	inhalative (4 h) vapour	LC50	> 4951 mg/l	Rat		
64742-82-1	Hydrocarbons, C10-C13, n-alkanes,	iso-alkanes	, cyclics, aroma	ates (2-25 %)		
	oral	LD50 mg/kg	>15000	Rat		
	dermal	LD50 mg/kg	>3400	Rabbit		
	inhalative (4 h) aerosol	LC50	13,1 mg/l	Rat		
106-97-8	butane					
	inhalative (4 h) gas	LC50	658 ppm	Rat	GESTIS	
	Benzenesulfonic acids, di-C10-14-a	lkyl derivativ	es, calcium salt	S		
	oral	LD50 mg/kg	> 5000	Rat		
	dermal	LD50 mg/kg	> 5000	Rat		

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, 2% aromatics)

## Severe effects after repeated or prolonged exposure

Causes damage to organs through prolonged or repeated exposure. (Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclics, aromates (2-25 %))

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



according to Regulation (EC) No 1907/2006

			102 Activ	ve oil MP102	200400	AB	
Prir	Print date: 05.07.2016 Product code: 1101049						Page 8 of 10
	CAS No Chemical name						
		Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source
	64742-48-9 Hydrocarbons, C9-C10, n-alkanes, isoalkanes,			s, cyclenes, 2%	aromatic	es .	
		Acute fish toxicity	LC50	>1000 mg/l		Oncorhynchus mykiss (Rainbow trout)	
		Acute algae toxicity	ErC50	>1000 mg/l	72 h	Pseudokirchneriella	

>1000 mg/l

> 100 mg/l

> 100 mg/l

> 100 mg/l

EC50

ErC50

EC50

(> 10000 mg/l)

Benzenesulfonic acids, di-C10-14-alkyl derivatives, calcium salts LC50

subcapitata

48 h Daphnia magna

subcapitata

flea)

96 h Oncorhynchus mykiss (Rainbow trout) 72 h Pseudokirchneriella

48 h Daphnia magna (Big water

OECD-209

# 12.2. Persistence and degradability

The product has not been tested

Acute crustacea toxicity

Acute fish toxicity

Acute algae toxicity

Acute crustacea toxicity

Acute bacteria toxicity

The product has not been tested.					
CAS No	Chemical name				
	Method Value d Source				
	Evaluation				
64742-82-1	Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclics, aromates (2-25 %)				
	OECD Guideline 301 F 77,05% 28				
	Easily biodegradable (concerning to the criteria of the OECD)				

## 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-28-5	isobutane	2,8
74-98-6	propane	2,36
64742-82-1	Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclics, aromates (2-25 %)	4,2
106-97-8	butane	2,89

### 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The product has not been tested.

## 12.6. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.



according to Regulation (EC) No 1907/2006

### 102 Active oil MP10200400AB

Print date: 05.07.2016 Product code: 1101049 Page 9 of 10

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

### Marine transport (IMDG)

Marine pollutant: no

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

No information available.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

### **Additional information**

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC, 2008/47/EC

## National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,2,5,8,9,10.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Relevant R phrases (number and full text)

10	Flammable.
12	Extremely flammable.
38	Irritating to skin.
48/20	Harmful: danger of serious damage to health by prolonged exposure through inhalation.
52	Harmful to aquatic organisms.
52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
53	May cause long-term adverse effects in the aquatic environment.
65	Harmful: may cause lung damage if swallowed.
66	Repeated exposure may cause skin dryness or cracking.
67	Vapours may cause drowsiness and dizziness.



according to Regulation (EC) No 1907/2006

102 Active oil MP10200400AB						
Print date: 05.07.2016	Product code: 1101049	Page 10 of 10				
Relevant H and EUH statements (number and full text)						
H220	Extremely flammable gas.					
H222	222 Extremely flammable aerosol.					
H226 Flammable liquid and vapour.						
H229	Pressurised container: May burst if heated.					

H304 May be fatal if swallowed and enters airways.
 H317 May cause an allergic skin reaction.
 H336 May cause drowsiness or dizziness.

H372 Causes damage to organs (Central nervous system) through prolonged or repeated

Contains gas under pressure: may explode if heated.

exposure if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH208 Contains Benzenesulfonic acids, di-C10-14-alkyl derivatives, calcium salts. May produce

an allergic reaction.

#### **Further Information**

H280

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)