

microflex®

984 Injector Direct Protection

When used regularly, protects injectors with ROA² technology against fuel-related deposits. This minimises consumption and emissions values. When added to the fuel tank, the fuel is proven to remain within the DIN EN 590 fuel standard. Suitable for all (bio-)diesel mixtures.



ROA² (Reactive Organic Amines) technology

- ✓ Further development of ROA technology (more powerful cleaning formula)
- ✓ Deposits on injectors are broken down and cleaned away
- ✓ Re-contamination is prevented
- ✓ Excellent dissolution properties in all (bio-)diesel mixtures

Properties

- ✓ Protects against fuel-related deposits
- ✓ Returns fuel consumption and emissions values to the level expected of new vehicles in the case of fuel-related contamination
- ✓ Improves ignition properties by elevating the cetane number into the safe range
- ✓ Reduces fuel-related knocking
- ✓ Stabilises the fuel against ageing, protecting against the accumulation of sludge
- ✓ Suitable for use by the end customer

Application area

- ✓ For all common rail and pump-nozzle systems
- ✓ For safeguarding overall fuel quality
- ✓ For regular protection in accordance with the use of 989 Injector Direct Cleaner or 938 Injector Intensive Cleaner

Instructions

Add to the fuel tank. Use the filler neck to do so. Sufficient for up to 80 l of fuel (min. 10 l of fuel)

Dosing

Sufficient for up to 80 l of fuel.

Product Description	Contents	Packaging Unit	Article Number
Injector Direct Protection	0.2 l	24 PCS	MF98400200A
Additional accessory		Packaging Unit	Article Number
Diesel Fuelling Hose Filler Neck		1 PCS	111304

